




work smart.

Your advantages with the SUPERCUT XPX Basic milling and sawing tables



perfect edges without sanding and filling







almost **dust-free working** = effective extraction



savings in personnel,

time and material/cuttings



consistently best possible quality



quickly ready for use = profitable in shortest time





Features

- · digital measuring system, electromagnetic fixation of the axis
- · powerful engines
- \cdot modular table design for an extended working area (if necessary)
- · flow-optimised, automatic, punctual vacuum unit
- · automatic lifting unit
- \cdot shaped milling and plate cut-outs using template technology

Application

- \cdot milling and sawing, simple change of unit
- \cdot production of cut-outs and complex shaped parts
- \cdot machining of different panel materials
- \cdot one-man operation
- \cdot realisation of high quality and design demands

SUPERCUT XPX




Table dimensions

- · modular setup:
- length: 2,715 mm

	(incl. 1 extension module)
width:	1,665 mm
	(2,080 mm inkl. portal)
height:	780 mm (working top)

· each extension module: plus 1,205 mm length:

Areas of application

- · round arches
- ceiling truncations
- light coves
- · niches (for showers etc.)
- boxes
- · window reveals
- · free-standing wall ends
- · cladding for beams, pipes, supports, girders etc.

Board processing dimensions

- · Cutting length: 2,100 mm for 2 m panels (basic table + extension) for 3 m panels (+ 1 extension) for 2x 2 m panels (+ 2 extensions) for 2 m + 3 m panels (+ 3 extensions) etc.
- · Cutting width: 1,205 mm
- · Cutting depth: 62 mm
- · per extension: 1,205 mm

Board materials

- · alucobond
- · aluminium composite panels
- · fire protection panels
- · eternit boards
- · fibre composite panels · multilayer boards
- · Fermacell boards
- · wood / wood composite panels

- \cdot insulating panels
- · calcium silicate boards
- · laminate / parquet · MDF boards
- · OSB boards
- · Shuttering boards
 - · Dry subfloor

Accessories

- extension table modules to increase the working area (each 1,205 mm long)
- \cdot powerful milling and sawing units with different variants
- · high-quality tools (milling cutters, saw blades, copying modules, guides etc.)
- \cdot powerful extraction systems
- \cdot professional gluing systems
- \cdot profile elements made of aluminum to complement the portfolio

Leasing and financing offers that are individually and precisely tailored to your needs enable a quick return on investment for your machine.

We will be happy to advise you personally on this! Of course also on topics such as workplace planning, production of prefab moulded parts, possible accessories etc.



We are looking forward to getting in touch with you!

flextos GmbH Rosenheimer Strasse 44 83064 Raubling, Germany

Phone: +49 8031 2338860 info@flextos.com www.flextos.com





